

C.C.I-100 Colour Hardener

Section 1	1:	PRODUCT	INFORMATION
-----------	----	----------------	--------------------

Chemical Family: Cement

Manufacturer: Concreation Canada Inc.

582 Rivermede Road, Unit 8

Concord, ON L4K 2H5

Manufacturer emergency phone number: Chemtrec 800-424-9300

Information phone number: 905-482-3837

Supplier: Same as manufacturer

TDG Classification: CORROSIVE SOLID, N.O.S. (portland cement)

UN1759 Class 8 PG III

WHMIS Classification: E,D2A



DSL Status: Appears on DSL

Supplier MSDS Date: 2008/04/25



Section 2: HAZARDOUS INGREDIENTS

C.A.S.	CONCENTRATION	Ingredient Name	T.L.V.	LD/50	LC/50
1309-37-1	2.3	Red Iron Oxide	5mg/m3	N/A	N/A
13463-67-7	1.0	Titanium Oxide	10mg/m3	N/A	N/A
14808-60-7	60.4	Silica, Quartz	0.05mg/m3 (R)	N/A	N/A
65997-15-1	36.2	Portland Cement	10mg/m3	N/A	N/A

Section 3: PHYSICAL DATA

Physical state: Solid

Appearance & odor: Odourless

Powder

Gray or white

Odor threshold (ppm):

Vapour pressure (mmHg):

Not applicable

Vapour density (air=1):

Not applicable

Volatiles (%)

By volume: Not applicable

Evaporation rate

(butyl acetate = 1): Not applicable

Boiling point(*C): >1000*C

Freezing point (*C): Not applicable

pH: 12-13 (Portland Cement in water)

Specific gravity @ 20*C: 2.65-4.26 (based on components)

Solubility in water (%): $\sim 0.1 \sim 1.0$

Coefficient of water/oil dist.: Not available VOC: Not available

Section 4: FIRE & EXPLOSIVE DATA

Flammability: Not flammable
Conditions of flammability: Surrounding fire

Material Safety Data Sheet C.C.I.-100 Colour Hardener 6/19/2013



Extinguishing media: Suitable for surrounding fire

Special procedures: Self-contained breathing apparatus required.

Firefighters should wear the usual protective gear

Auto-ignition temperature (*C):

Flash point (*C):

Not applicable

Not applicable

Not applicable

Upper flammability limit (% vol):

Not applicable

Explosion Data

Sensitivity to static discharge: Not available
Sensitivity to mechanical impact: Not available
Hazardous combustion products: None known
Explosive power: Not applicable

Section 5: REACTIVITY DATA

Chemical stability: product is stable

Conditions of instability: will react with water

Hazardous polymerization: will not occur

Incompatible substances: Acids

Aluminum (AL)

Hydrofluoric Acid (HF)
Bromine trifluoride

Fluorides

Ammonium salts

Hazardous decomposition products: Adding water will produce (caustic) calcium hydroxide

Section 6: TOXICOLOGICAL PROPERTIES

Route of entry: Skin contact, eye contact, inhalation and ingestion

Effects of acute exposure

Eye contact: Dust may irritate the eyes.

May cause inflammation.

Wet product may cause chemical burns and blindness

Skin contact: Liquid will cause severe burns.

May cause dryness. May cause irritation.



Material Safety Data Sheet

C.C.I.-100 Colour Hardener 6/19/2013

Effects may be delayed.

Moisture on skin will accelerate tissue damage.

May cause allergic reaction.

Corrosive when moist.

Inhalation: Excess inhalation may cause coughing and breathing

difficulties.

Silica may cause lung disease.

Irritating to the mucous membranes and respiratory

system.

Ingestion: May be harmful if swallowed.

Effects of chronic exposure: May aggravate pre-existing skin and lung disorders.

Prolonged and repeated exposure to crystalline silica

dust may cause silicosis (lung damage).

LC50 of product, species route: Not available.

LC50 of product, species route: Not available.

Exposure limit of material: See hazardous ingredients section.

Irritancy of material: See effects of acute exposure.

Sensitization of product: Not available.

Carcinogenic effects: Quartz (crystalline silica) is carcinogenic.

Reproductive effects:Not available.Teratogenicity:Not available.Mutagenicity:Not available.Synergistic materials:Not available.

Section 7: PREVENTATIVE MEASURE

Precautionary Measures

Gloves/Type: Wear impervious gloves.

Respiratory/Type: Wear a NIOSH/MSHA approved respirator if ventila

tion is inadequate.

Eye/Type: Safety glasses with side-shields.

Do not wear contact lenses.

Footwear/Type: Impervious boots.

Clothing/Type: Impervious, full protective.

Other/Type: Eye wash facility should be in close proximity.

Emergency shower should be in close proximity.

concreation

Material Safety Data Sheet

C.C.I.-100 Colour Hardener 6/19/2013

/entilation requirements:	Local exhaust and/or general ventilation.
---------------------------	---

Leak/Spill: Avoid dust accumulation.

Prevent entry into drains, sewers, and other water

ways.

Wear appropriate protective equipment.

Avoid breathing dust.

Scoop up and place in appropriate container.

Do not dispose without diluting.

Waste disposal: In accordance with municipal, provincial and federal

regulations.

Handling procedures and equipment: Use adequate ventilation.

Avoid skin and eye contact.

Wear personal protective equipment appropriate to

task.

Wash thoroughly after handling. Avoid generating or breathing dust.

Launder contaminated clothing prior to reuse.

Keep dry.

Storage requirements: Store away from incompatible materials.

Store in a dry place.

TDG Classification: Corrosive Solid, N.O.S. (portland cement)

UN1759 Class 8 PG III

Special shipping information: See transportation information.

Section 8: FIRST AID MEASURES

Skin contact: Remove contaminated clothing.

Seek medical attention immediately. Wash thoroughly with soap and water.

Eye contact: Immediately flush eyes with large amounts of water

for at least 15 minutes, lifting upper and lower lids.

Get prompt medical attention.

Inhalation: Remove victim to fresh air.

Obtain medical attention.

Ingestion: Obtain medical attention.

Do not induce vomiting.

Additional information: The above information is believed to be correct but



Material Safety Data Sheet C.C.I.-100 Colour Hardener 6/19/2013

does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable

for and inaccuracies.

Section 9: ADDITIONAL INFORMATION

General note: This material safety data sheet was prepared from

information obtained from various sources, including product suppliers and the Canadian Center for Occu

pational Health and Safety.

Data prepared by: Conform-Action Data Systems

A division of 2843471 Canada Inc.

1804 Transcanada Dorval, QC H9P 1H7

Tel: (514) 683-2060 Fax: (514) 683-1445

24 hr. 1-866-628-7522 support@netmsds.com.

This MSDS was generated by Conform-Plus Application Service. Visit us at www.netmsds.com.