

Aqua Mix® Renue®

1 Product Name

Aqua Mix® Renue®

2 Manufacturer

Custom Building Products
13001 Seal Beach Blvd.
Seal Beach, CA 90740-2757
Customer Support: 800-272-8786
Technical Services: 800-282-8786
Fax: 800- 200-7765
Email: contactus@cbpmail.net
custombuildingproducts.com

3 Product Description

A polishing cream that restores the shine of dull, etched or lightly scratched polished natural stone. Easy-to-use and no machinery is required.

Key Features

- Removes etches and light scratches
- Restores shine to dull surfaces
- Easy-to-use

Suitable Tile Types

Calcium-based polished natural stone (such as limestone, marble, and travertine) and cement-based precast terrazzo.

Limitations to the Product

- Do not allow product to come in contact with any non-recommended surface
- May not be suitable for some green marbles
- Severely damaged or worn polished marble may require professional resurfacing
- Not intended for use on granite, porcelain, ceramic tile or cultured marble
- For large floor surfaces, Aqua Mix® Reviver is recommended

4 Technical Data

Technical Properties Chart

Complies with all Federal EPA and SCAQMD standards for VOC

5 Instructions

Application of Product

Read entire label before using. SHAKE WELL before using. Surface must be clean, dry and free of existing surface coatings. Apply a small amount (tablespoon or less) of Renue® directly onto etched or worn area. Use spray bottle to apply 1-2 squirts of water directly on Renue®. Using a soft cotton or terry towel, buff Renue® into worn or etched area until slurry becomes clear and nearly dry. Re-wet with water and polish dry completely with absorbent towel. Repeat process if necessary until desired results are achieved. A handheld buffer with soft bonnet may be used for quicker results for larger areas.

Cleaning of equipment

Clean tools and hands with water before material dries.



Health Precautions

CORROSIVE. CAUSES BURNS. HARMFUL IF SWALLOWED. Wear skin and eye protection. Do not breathe dust. Contains potassium oxalate. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If respiratory tract is irritated, move to fresh air. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting, seek medical attention.

6 Availability & Cost

Location	Item Code	Size	Package
USA	100293	8 oz. (237 ml)	Bottle

7 Product Warranty

Custom® Building Products warrants to the original consumer purchaser that its product shall be free from defects in material and workmanship under normal and proper usage for a period of one year following the date of original purchase. Custom's® sole liability under this warranty shall be limited to the replacement of the product. Some states, countries or territories do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty will not extend to any product which has been modified in any way or which has not been used in accordance with Custom's® printed instructions. Custom® makes no other warranties either expressed or implied. This warranty gives you specific legal rights, and you may have other rights that vary from state to state or from one country/territory to another. Click for details and complete [warranty information](#).

8 Product Maintenance

Properly installed product requires no special maintenance.

9 Technical Services Information

For technical assistance, contact Custom® Building Products.

10 Filing System

Additional product information is available from the manufacturer upon request.



CUSTOM®

Aqua Mix® Renue®

Handling & Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 40° F - 90° F (4° C - 32° C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle

Related Products

Aqua Mix® Reviver®

Aqua Mix® KnockDown®



CUSTOM®

Aqua Mix® Renue®

Coverage

SIZE	Min Coverage	Max Coverage
8 oz (237 mL) Bottle	200 sq. ft. (19 M ²)	200 sq. ft. (19 M ²)